




Malmo Steels Pvt. Ltd.

HEAD OFFICE
404, Vyapar Bhavan, 4th Floor, 49, P. D'Mello Road, Carnac Bunder, Mumbai - 400009. India.
Tel. : 022 4974 3844

FACTORY
D-21, M.I.D.C., Taloja, Raigad, Maharashtra. India. Tel. : 022 4974 3844

Email : contact@malmosteels.com Website : www.malmosteels.com

MALMO HAKI STAIR TOWER
SCAFFOLDING SYSTEM

MALMO SCAFFOLDING SYSTEM


Base Jack

Description	Weight (kg)
760mm Base Jack	4.01
650mm Base Jack	3.55
550mm Base Jack	2.75




Standards

Description	Weight (kg)
3.0m Standard	17.5
2.0m Standard	12.1
1.5m Standard	9.4
1.0m Standard	6.7
0.5m Standard	4.0



Ledger Beam

Description	Weight (kg)
3.0m Ledger Beam	18.8
1.605m Ledger Beam	10.2




Stair Flight

Description	Weight (kg)
2.0m Stair Flight	42.1
1.5m Stair Flight	35.3
1.0m Stair Flight	32.0




Handrail Post

Description	Weight (kg)
Handrail Post 1.0m	4.9
Handrail Post 0.5m	2.8




Stair Handrail

Description	Weight (kg)
2.0m Stair Handrail	10.4
1.5m Stair Handrail	9.5
1.0m Stair Handrail	6.4




Single Tube Beam

Description	Weight (kg)
1.605m Single Tube Beam	7.9




Guardrail Frame Ledger Direction

Description	Weight (kg)
3.0m Guardrail Frame	15.4
1.605m Guardrail Frame	10.9




Diagonal Brace

Description	Weight (kg)
3.0m Diagonal Brace	15.6
1.605m Diagonal Brace	9.8




Safety Gate

Description	Weight (kg)
Safety Gate	7.3



Clip On Post

Description	Weight (kg)
Clip On Post	6.6



★ All product confirm British Standard.
★ Sprcial sizes are also available on request.

MALMO SCAFFOLDING SYSTEM


Landing

Description	Weight (kg)
1.605m Landing	29.1



Entrance step

Description	Weight (kg)
Entrance Step	15.1



Guardrail Frame Transom Direction

Description	Weight (kg)
Guardrail Frame	9.2

